

Application Instructions

Tips for Success:

- 1) **Always** do test panels to determine which mixing ratio is appropriate **before** you go full scale.
- 2) Fully saturate all angles of the target surface.
- 3) **Anything** that gets sprayed will be stained. If it is windy, you might want to apply another day.
- 4) Keep the surface dry for 7 days after application or until color has fully transitioned. **Isolate sprinklers.**
- 5) Remember, Natina is **NOT** a stain and the color will **NOT** be instant. Color development will occur over the next 5 – 20 days depending on heat and sunlight. The hotter it is the faster the color will transition.
- 6) Do not panic! Colors such as yellow, orange, and rust will develop before your target color is achieved.

Suggested Mixing Ratios:

Natina Concentrate 500: Our original formula is perfect for any ROCK surfaces.

ONE good application is usually all that is required when applying Natina Concentrate to ROCK surfaces.

- **2:1** (2 parts water per 1 part Natina Concentrate = Dark brown color)
- **5:1** (5 parts water per 1 part Natina Concentrate = Medium brown color)
- **8:1** (8 parts water per 1 part Natina Concentrate = Light brown color)

These ratios are guidelines **ONLY**. Since there are many variables to consider, test panels are **ALWAYS** recommended. After applying test patches, wait until target areas reach full color transition **before** moving forward (5-20 days).

Natina Concrete Formula: Our NEW creation formulated specifically for **CONCRETE** surfaces.


TWO good applications are usually required when applying Natina Concrete. With newer concrete you can space these applications out by about 1 hour. With old concrete should wait up to 8 hours between the two applications.

- **2:1** (2 parts water per 1 part Natina Concrete = Dark Brown)
- **6:1** (6 parts water per 1 part Natina Concrete = Medium Brown)
- **10:1** (10 parts water per 1 part Natina Concrete = Light Tan)

These ratios are guidelines **ONLY**. Since there are many variables to consider, test panels are **ALWAYS** recommended. After applying test patches, wait until target areas reach full color transition **before** moving forward (5-20 days).

Please call me directly if you have any questions and I look forward to hearing how Natina worked out for you!

Happy testing,



Ryan M. Morey
Director, Sales & Marketing

(866)420-1708 Fax
(877)7NATINA Toll Free
ryan@natinaproducts.com
www.natinaproducts.com

